Search Results -

Terms	Documents
L6 and (material\$5 near view\$1)	0

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

Database:











Search History

DATE: Thursday, May 06, 2004 Printable Copy Create Case

Set Nam side by sid		Hit Count S	Set Name result set
-	GPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=		result set
<u>L7</u>	L6 and (material\$5 near view\$1)	0	<u>L7</u>
<u>L6</u>	auxiliar\$ same (partition\$3 or cluster\$3) same node\$1	71	<u>L6</u>
<u>L5</u>	L3 and (auxiliar\$ same (partition\$3 or cluster\$3) same node\$1)	0	<u>L5</u>
<u>L4</u>	L3 and (base near relation)	9	<u>L4</u>
<u>L3</u>	L2 and L1	24	<u>L3</u>
<u>L2</u>	tuple\$1 same (table\$1 or (row\$1 or column\$1)) same join\$3	479	<u>L2</u>
L1	"materialized view"	186	<u>L1</u>

Search Results -

Terms	Documents
L17 and (auxiliar\$ same relation\$1 same (partition\$3 or cluster\$3 or group\$3 or categori\$))	0


ナジン

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

Database:

19				≙
				豆









Search History

Set Name side by side	Query	<u>Hit</u> <u>Count</u>	Set Name result set
DB=P	GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR		
<u>L19</u>	L17 and (auxiliar\$ same relation\$1 same (partition\$3 or cluster\$3 or group\$3 or categori\$))	0	<u>L19</u>
<u>L18</u>	L17 and (auxiliar\$ same relation\$1 same (partition\$3 or cluster\$3))	0	<u>L18</u>
<u>L17</u>	(6026390 or 6339769 or 6477534 or 6496828 or 6532470).pn.	10	<u>L17</u>
<u>L16</u>	L14 and (auxiliar\$3 same relation\$5)	3	<u>L16</u>
<u>L15</u>	L14 and (auxiliar\$ same relation\$)	3	<u>L15</u>
<u>L14</u>	L13 and (partition\$3 or cluster\$3 or group\$3 or categori\$)	143	<u>L14</u>
<u>L13</u>	"materialized views"	186	<u>L13</u>
<u>L12</u>	L10 and L7	3	<u>L12</u>
<u>L11</u>	L10 and ((materializ\$ or materialis\$) near view\$1)	0	<u>L11</u>
<u>L10</u>	auxiliar\$ same relation\$1 same (partition\$3 or cluster\$3 or group\$3 or categori\$)	5225	<u>L10</u>

<u>L9</u>	L8 and (auxiliar\$ same (partition\$3 or cluster\$3 or group\$3 or categori\$))	0	<u>L9</u>
<u>L8</u>	L7 and L4	19	<u>L8</u>
<u>L7</u>	707/\$.ccls.	20317	<u>L7</u>
<u>L6</u>	L3 and (auxiliar\$ same (partition\$3 or cluster\$3 or group\$3 or categori\$))	0	<u>L6</u>
<u>L5</u>	L3 and (auxiliar\$ near2 (partition\$3 or cluster\$3 or group\$3 or categori\$))	0	<u>L5</u>
<u>L4</u>	L3 and (partition\$3 or cluster\$3 or group\$3 or categori\$)	20	<u>L4</u>
<u>L3</u>	L2 and tuple\$1	22	<u>L3</u>
<u>L2</u>	L1 and (base near relation\$1)	25	<u>L2</u>
L.1	(materializ\$ or materialis\$) near view\$1	220	L1

Search Results -

Terms	Documents
L21 and L13	0

120-4

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database

JPO Abstracts Database
Derwent World Patents Index

L22

IBM Technical Disclosure Bulletins

Search:

Database:

		Ē	Refine Search
Recall Text	4 # Cloor		Interior

Search History

Set Name side by side	Query	<u>Hit</u> <u>Count</u>	Set Name result set
DB=F	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR		
<u>L22</u>	L21 and L13	0	<u>L22</u>
<u>L21</u>	L10 and (auxiliar\$ same relation\$1 same node\$1)	19	<u>L21</u>
<u>L20</u>	L13 and (auxiliar\$ same relation\$1 same node\$1)	0	<u>L20</u>
<u>L19</u>	L17 and (auxiliar\$ same relation\$1 same (partition\$3 or cluster\$3 or group\$3 or categori\$))	0	<u>L19</u>
<u>L18</u>	L17 and (auxiliar\$ same relation\$1 same (partition\$3 or cluster\$3))	0	<u>L18</u>
<u>L17</u>	(6026390 or 6339769 or 6477534 or 6496828 or 6532470).pn.	10	<u>L17</u>
<u>L16</u>	L14 and (auxiliar\$3 same relation\$5)	3	<u>L16</u>
<u>L15</u>	L14 and (auxiliar\$ same relation\$)	3	<u>L15</u>
<u>L14</u>	L13 and (partition\$3 or cluster\$3 or group\$3 or categori\$)	143	<u>L14</u>
<u>L13</u>	"materialized views"	186	<u>L13</u>
<u>L12</u>	L10 and L7	3	<u>L12</u>
<u>L11</u>	L10 and ((materializ\$ or materialis\$) near view\$1)	0	<u>L11</u>

<u>L10</u>	auxiliar\$ same relation\$1 same (partition\$3 or cluster\$3 or group\$3 or categori\$)	5225	<u>L10</u>
<u>L9</u>	L8 and (auxiliar\$ same (partition\$3 or cluster\$3 or group\$3 or categori\$))	0	<u>L9</u>
<u>L8</u>	L7 and L4	19	<u>L8</u>
<u>L7</u>	707/\$.ccls.	20317	<u>L7</u>
<u>L6</u>	L3 and (auxiliar\$ same (partition\$3 or cluster\$3 or group\$3 or categori\$))	0	<u>L6</u>
<u>L5</u>	L3 and (auxiliar\$ near2 (partition\$3 or cluster\$3 or group\$3 or categori\$))	0	<u>L5</u>
<u>L4</u>	L3 and (partition\$3 or cluster\$3 or group\$3 or categori\$)	20	<u>L4</u>
<u>L3</u>	L2 and tuple\$1	22	<u>L3</u>
<u>L2</u>	L1 and (base near relation\$1)	25	<u>L2</u>
<u>L1</u>	(materializ\$ or materialis\$) near view\$1	220	<u>L1</u>

Search Results -

Terms	Documents
L10 and L7	3

70/2

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

Database:

L12		Reine Seach
	V	Million the second seco







Search History

Set Name side by side	Query	<u>Hit</u> <u>Count</u>	Set Name result set
DB=P	GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR		
<u>L12</u>	L10 and L7	3	<u>L12</u>
<u>L11</u>	L10 and ((materializ\$ or materialis\$) near view\$1)	0	<u>L11</u>
<u>L10</u>	auxiliar\$ same relation\$1 same (partition\$3 or cluster\$3 or group\$3 or categori\$)	5225	<u>L10</u>
<u>L9</u>	L8 and (auxiliar\$ same (partition\$3 or cluster\$3 or group\$3 or categori\$))	0	<u>L9</u>
<u>L8</u>	L7 and L4	19	<u>L8</u>
<u>L7</u>	707/\$.ccls.	20317	<u>L7</u>
<u>L6</u>	L3 and (auxiliar\$ same (partition\$3 or cluster\$3 or group\$3 or categori\$))	0	<u>L6</u>
<u>L5</u>	L3 and (auxiliar\$ near2 (partition\$3 or cluster\$3 or group\$3 or categori\$))	0	<u>L5</u>
<u>L4</u>	L3 and (partition\$3 or cluster\$3 or group\$3 or categori\$)	20	<u>L4</u>

<u>L3</u>	L2 and tuple\$1	22	<u>L3</u>
<u>L2</u>	L1 and (base near relation\$1)	25	<u>L2</u>
<u>L1</u>	(materializ\$ or materialis\$) near view\$1	220	<u>L1</u>

Search Results -


Terms	Documents
L10 and ((materializ\$ or materialis\$) near view\$1)	0

ナルリン

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

Database:



Search History

Set Name side by side	Query	<u>Hit</u> <u>Count</u>	Set Name result set
DB=P	GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR		
<u>L11</u>	L10 and ((materializ\$ or materialis\$) near view\$1)	0	<u>L11</u>
<u>L10</u>	auxiliar\$ same relation\$1 same (partition\$3 or cluster\$3 or group\$3 or categori\$)	5225	<u>L10</u>
<u>L9</u>	L8 and (auxiliar\$ same (partition\$3 or cluster\$3 or group\$3 or categori\$))	0	<u>L9</u>
<u>L8</u>	L7 and L4	19	<u>L8</u>
<u>L7</u>	707/\$.ccls.	20317	<u>L7</u>
<u>L6</u>	L3 and (auxiliar\$ same (partition\$3 or cluster\$3 or group\$3 or categori\$))	0	<u>L6</u>
<u>L5</u>	L3 and (auxiliar\$ near2 (partition\$3 or cluster\$3 or group\$3 or categori\$))	0	<u>L5</u>
<u>L4</u>	L3 and (partition\$3 or cluster\$3 or group\$3 or categori\$)	20	<u>L4</u>
<u>L3</u>	L2 and tuple\$1	22	<u>L3</u>

<u>L2</u>	L1 and (base near relation\$1)	25	<u>L2</u>
<u>L1</u>	(materializ\$ or materialis\$) near view\$1	220	<u>L1</u>


Search Results -

Terms	Documents
L8 and (auxiliar\$ same (partition\$3 or cluster\$3 or group\$3 or categori\$))	0

ナーターナ



Search:










Search History

Set Name side by side	Query	<u>Hit</u> <u>Count</u>	Set Name result set
DB=Pc	GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR		
<u>L9</u>	L8 and (auxiliar\$ same (partition\$3 or cluster\$3 or group\$3 or categori\$))	0	<u>L9</u>
<u>L8</u>	L7 and L4	19	<u>L8</u>
<u>L7</u>	707/\$.ccls.	20317	<u>L7</u>
<u>L6</u>	L3 and (auxiliar\$ same (partition\$3 or cluster\$3 or group\$3 or categori\$))	0	<u>L6</u>
<u>L5</u>	L3 and (auxiliar\$ near2 (partition\$3 or cluster\$3 or group\$3 or categori\$))	0	<u>L5</u>
<u>L4</u>	L3 and (partition\$3 or cluster\$3 or group\$3 or categori\$)	20	<u>L4</u>
<u>L3</u>	L2 and tuple\$1	22	<u>L3</u>
<u>L2</u>	L1 and (base near relation\$1)	25	<u>L2</u>
<u>L1</u>	(materializ\$ or materialis\$) near view\$1	220	<u>L1</u>



DATE: Saturday, July 19, 2003 Printable Copy Create Case

Set Nam		Hit Count S	Set Name result set
DB=U	SPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR		
<u>L14</u>	L13 and node\$2	3	<u>L14</u>
<u>L13</u>	L12 and (join\$ near2 result\$)	4	<u>L13</u>
<u>L12</u>	L11 and (index\$ or key\$2)	5	<u>L12</u>
<u>L11</u>	L4 and (material\$8 near2 view)	6	<u>L11</u>
<u>L10</u>	L4 and (material\$ near2 view)	6	<u>L10</u>
<u>L9</u>	L4 and (mater\$ near2 view)	6	<u>L9</u>
<u>L8</u>	L7 and L1	1	<u>L8</u>
<u>L7</u>	L4 and partition\$	30	<u>L7</u>
<u>L6</u>	L5 and L1	0	<u>L6</u>
<u>L5</u>	L4 not L2	19	<u>L5</u>
<u>L4</u>	tuple same relation\$1 same (join\$ near2 operation)	62	<u>L4</u>
DB=U	SPT; PLUR=YES; OP=OR		
<u>L3</u>	L2 and L1	3	<u>L3</u>
<u>L2</u>	tuple same relation\$1 same (join\$ near2 operation)	43	<u>L2</u>
<u>L1</u>	(6484159 6026390 5535385 5897632 6496828 6546381 5638492 6006216 6532470 5930785 6532458 6542886 6353835 5276870 6199063 6275818 5991754 6125360 6134543 6334128 6353828 6449605 6449606 6449609 6477525 6493708 6496819 6546402 6366903 5937195 4833618 5546570 6345272 6292830 5978789 4978840 5768511 6272502 6339769 5832485 5737591 5797136 4398635 4485160 4619498 4841607 4955198 4960406 4964756 4967228).pn.	50	<u>L1</u>